FORMAT OF CERTIFICATE TO BE ISSUED BY THE DISTRICT EDUCATION OFFICERIN RESPECT OF SCHOOLS SEEKING AFFILIATION WITH THE CENTRAL BOARD OF SECONDARY EDUCATION

(In accordance with School Safety Policy, 2016 issued by the NDMA. Manual on Safety and Security of Children in Schools developed by NCPCR and the National Building Code)

(T	PART – A his part is to be filled-up by the school and to be produced along with all supporting documents and cer	before the District Education Officer tificates in original)			
G	GENERAL INFORMATION				
1	Name of the School: (Name should be exactly as per NOC and recognition certificate)	ATMIYA GREEN SCHOOL			
2	Address of the School:	MANIBA CAMPUS, NILKANTH ROAD, NR.CABLE BRIDGE ,ZADESHWAR, BHARUCH			
3	U-DISE code allotted to the School:	24210309821			
4	Name and address of the Trust / Society / Company (under section 8) running the school	SHYAM EDUCATION TRUST, AHMEDABAD (ANNEXURE-I, TRUST DEED & REGISTRATION CERTIFICATE)			
5	Is the Trust /Society /Company duly registered with the competent registering authority and there registration is valid as on date?	YES-MUMBAI PUBLIC TRUST, ACT-1950 (29 TH OF MUMBAI, 1950), DT:14/10/2004			
6	Proposed affiliation with CBSE for	SECONDARY SCHOOL			
7	Location of school	"MANIBA CAMPUS", NILKANTH ROAD, NR. CABLE BRIDGE, ZADESHWAR, BHARUCH			
9	Is the school already affiliated to any board for Class—X or XII examination? Standard/Level/Class up to which the school is running	N.A. UP TO STD-VII			
	CORINCIPAL .	0.00			

ATMIYA GREEN SCHOOL ZADESHWAR, BHARUCH.

District Education Officer Bharuch, Dist. Bharuch,

Number of NoC and Date of issue PRI/KH-2/NoC/17/3066	10	Has the school obtained No Objection Certificate from the State Government for Affiliation with CBSE?	YES	
Has the school obtained Recognition Certificate from the State Government from class 1st to 8th? Number of Re Recognition Certificate from class 1sto 8th and date of issue: STD-1 TO 5, GP/EDU/E, STD-6 TO 8, GP/EDU/E, STD-6 TO 8, GP/EDU/E, (Dt-21/3/2018) 769770 INFORMATION REGARDING LAND DETAILS AND OWNERSHIP Is the school situated on a single contiguous plot of land bounded on all sides by a Pucca Boundary Wall? Are both the School land the Play Ground situated in a single compound bounded by a single continuous Boundary Wall on all sides? Total area(in square meters) in respect of 14 and 15 above on which the school is situated: The land is in the possession of the School/Trust/Society/Company legally by way of: Name of the Owner/Lessee of the land in respect of point 16 above: In case the land is in the possession of the society /school by way of lease as per state government norms, the period of the lease: Is any public road, canal or through-fare, HT line etc. passing through the land in respect of point 16 above? INFORMATION REGARDING ESSENTIAL SAFETYREQUIREMENTS INFORMATION REGARDING ESSENTIAL SAFETYREQUIREMENTS Has the school been inspected by the Government engineer and the school bein inspected by the Government engineer and the school been inspected by the Officers of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If Yes, the date of last Inspection: Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	11	Number of NOC and Date of issue	(ANNEXURE-II, NOC – 1 TO 8)	
INFORMATION REGARDING LAND DETAILS AND OWNERSHIP Is the school situated on a single contiguous plot of land bounded on all sides by a Pucca Boundary Wall? YES are single compound bounded by a single continuous Boundary Wall on all sides? YES are single compound bounded by a single continuous Boundary Wall on all sides? Total area(in square meters) in respect of 14 and 15 above on which the school is situated: On rent School/Trust/Society/Company legally by way of: Name of the Owner/Lessee of the land in respect of point16 above: NiRMALABEN PRAVINBH BHANUBEN KISHORBHAI 15 YEAR YE	12	Has the school obtained Recognition Certificate from the State Government from class 1st to 8th?	(ANNEXURE-III, PERMISSION LETTER – 1	
Is the school situated on a single contiguous plot of land bounded on all sides by a Pucca Boundary Wall? Are both the School land the Play Ground situated in a single compound bounded by a single continuous Boundary Wall on all sides? Total area(in square meters) in respect of 14 and 15 above on which the school is situated: The land is in the possession of the School/Trust/Society/Company legally by way of: Name of the Owner/Lessee of the land in respect of point16 above: In case the land is in the possession of the society /school by way of lease as per state government norms, the period of the lease: Is any public road, canal or through-fare, HT line etc. passing through the land in respect of point 16 above? INFORMATION REGARDING ESSENTIAL SAFETYREQUIREMENTS INFORMATION REGARDING ESSENTIAL SAFETYREQUIREMENTS IF yes, the date of last Inspection: If Yes, the date of last Inspectio	13	Number of Re Recognition Certificate from class 1 to 8 and date of issue:	STD-1 TO 5 , GP/EDU/E(1) /2017 291-92 STD-6 TO 8 , GP/EDU/E.4(2) /2018/ (Dt-21/3/2018) 769770	
Sounded on all sides by a Pucca Boundary Wall?	INFO	DRMATION REGARDING LAND DETAILS AND OWN	ERSHIP	
single compound bounded by a single continuous Boundary Wall on all sides? Total area(in square meters) in respect of 14 and 15 above on which the school is situated: The land is in the possession of the School/Trust/Society/Company legally by way of: Name of the Owner/Lessee of the land in respect of point16 above: In case the land is in the possession of the society /school by way of lease as per state government norms, the period of the lease: Is any public road, canal or through-fare, HT line etc. passing through the land in respect of point 16 above? INFORMATION REGARDING ESSENTIAL SAFETYREQUIREMENTS In the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If Yes, the date of last Inspection: If		bounded on all sides by a Pucca Boundary Wall?	YES	
on which the school is situated: The land is in the possession of the School/Trust/Society/Company legally by way of: Name of the Owner/Lessee of the land in respect of point 16 above: In case the land is in the possession of the society /school by way of lease as per state government norms, the period of the lease: Is any public road, canal or through-fare, HT line etc. passing through the land in respect of point 16 above? INFORMATION REGARDING ESSENTIAL SAFETYREQUIREMENTS I Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If Yes, the date of last Inspection: O6/02/2019 YES (ANNEXURE-VI, FIRE SAF (ANNEXURE-VII, HEALTH department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	15	single compound bounded by a single continuous Boundary Wall on all sides?	YES	
School/Trust/Society/Company legally by way of: Name of the Owner/Lessee of the land in respect of point 16 above: NIRMALABEN PRAVINBH BHANUBEN KISHORBHAI In case the land is in the possession of the society /school by way of lease as per state government norms, the period of the lease: Is any public road, canal or through-fare, HT line etc. passing through the land in respect of point 16 above? NO		on which the school is situated:	8300 sq.mtr	
Name of the Owner/Lessee of the land in respect of point 16 above: In case the land is in the possession of the society /school by way of lease as per state government norms, the period of the lease: Is any public road, canal or through-fare, HT line etc. passing through the land in respect of point 16 above? INFORMATION REGARDING ESSENTIAL SAFETYREQUIREMENTS In the school been inspected by the Government engineer and the school building been found structurally safe for running a school? In the school been inspected by the officers of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? In the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	17	The land is in the possession of the	On rent	
Name of the Owner/Lessee of the land in respect of point 16 above: In case the land is in the possession of the society /school by way of lease as per state government norms, the period of the lease: Is any public road, canal or through-fare, HT line etc. passing through the land in respect of point 16 above? INFORMATION REGARDING ESSENTIAL SAFETYREQUIREMENTS In the school been inspected by the Government engineer and the school building been found structurally safe for running a school? In the school been inspected by the officers of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? In the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	1.0	School/Trust/Society/Company legally by way of:	(ANNEXURE-IV, LEASE DEED)	
In case the land is in the possession of the society /school by way of lease as per state government norms, the period of the lease: 20	18	Name of the Owner/Lessee of the land in respect of	NIRMALABEN PRAVINBHAI KACHHADIYA	
by way of lease as per state government norms, the period of the lease: Is any public road, canal or through-fare, HT line etc. passing through the land in respect of point 16 above? INFORMATION REGARDING ESSENTIAL SAFETYREQUIREMENTS Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? If Yes, the date of last Inspection: Has the school been inspected by the officers of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If Yes, the date of last Inspection: O6/02/2019 YES (ANNEXURE-VI, FIRE SAFETYREQUIREMENTS (ANNEXURE-VI, FIRE SAFETYREQUIREMENTS O6/02/2019 YES (ANNEXURE-VI, FIRE SAFETYREQUIREMENTS (ANNEXURE-VI, BUP)	10		BHANUBEN KISHORBHAI KACHHADIYA	
passing through the land in respect of point 16 above? INFORMATION REGARDING ESSENTIAL SAFETYREQUIREMENTS 21 Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? 21(a) If Yes, the date of last Inspection: 22 Has the school been inspected by the officers of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? 22(a) If Yes, the date of last Inspection: 22 Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? 23 Annexure-vi, Fire SAF	19	by way of lease as per state government norms, the period of the lease:	15 YEARS	
Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school? 21(a) If Yes, the date of last Inspection: Has the school been inspected by the officers of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? 22(a) If Yes, the date of last Inspection: Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? Has the school been inspected by the officers of YES (ANNEXURE-VI, FIRE SAFE)	20	Is any public road, canal or through-fare, HT line etc. passing through the land in respect of point 16 above?	NO	
and the school building been found structurally safe for running a school? 21(a) If Yes, the date of last Inspection: Has the school been inspected by the officers of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? (ANNEXURE-V, BUP) YES (ANNEXURE-VI, FIRE SAFE) (ANNEXURE-VI, FIRE SAFE) (ANNEXURE-VI, FIRE SAFE) (ANNEXURE-VI, FIRE SAFE) (ANNEXURE-VII, HEALTH CERTIFICATE)				
Has the school been inspected by the officers of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? (ANNEXURE-VI, FIRE SAF (ANNEXURE-VI, FIRE SAF (ANNEXURE-VI) (BIRE SAF (BIRE SAF (ANNEXURE-VI) (BIRE SAF		and the school building been found structurally safe for running a school?		
Has the school been inspected by the officers of Government Fire Department and the school building been declared safe for school from the point of view of fire safety? If Yes, the date of last Inspection: Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? Has the school been inspected by the officers of (ANNEXURE-VI, FIRE SAF	21(a)	If Yes, the date of last Inspection:	19/05/2007	
Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? Has the school compound been checked by the public health (ANNEXURE-VII, HEALTH CERTIFICATE)		Has the school been inspected by the officers of Government Fire Department and the school building been declared safe for school from the point of view of fire		
Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking? Has the school compound been checked by the public health (ANNEXURE-VII, HEALTH CERTIFICATE)	22(a)	If Yes, the date of last Inspection:	06/02/2019	
found to be satisfactory and the water has been found safe for drinking?		Has the school compound been checked by the public health		
0/ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		department and the health and sanitary conditions been found to be satisfactory and the water has been found safe	(ANNEXURE-VII, HEALTH & SANITARI	
(a) 11 fes, the date of last inspection: 11-1-2019	3(a)	If Yes, the date of last Inspection:	11-1-2019	

PRINCIPAL
ATMIYA GREEN SCHOOL
ZADESHWAR, BHARUCH.

District Education Officer Bharuch, Dist. Bharuch.

24	Does the school have well defined service rules and conditions for its employees as per prevalent norms of appropriate Government?	YES
25	Is the school paying salary to the teachers and other employee as per the norms of the appropriate Government?	YES
26	Is the salary to the teachers and other employees of the school being paid through the bank by mode of electronic clearing?	YES
	(Payment by cheque or cash to the individuals is not allowed)	

PART - B

(This part is to be filled—up by the District Education Officer after verifying all supporting documents and certificates in original and visiting the school)

File	No 10902	Date of Inspection <u>48/03/19</u>	
1	This is to certify that the information above, provided by the school has been verified on the basis of all supporting documents & certificates and visiting the school and the information has been found correct.		
2	Is the school recommended for affiliation? (Please ensure that the school fulfils land requirement also as per details given in Appendix– Along with point nos. 1 – 26)	Tes	
3	Recommended for Middle Class Syllabus/Secondary/Senior Secondary to CBSE?	Tes	



District Education Officer

Bharuch Dist Bharuch Name and Stamp of Issuing DEO)

DISTRICT EDUCATIONOFFICER/EQUIVALENT OFFICER

FROM EDUCATION ADMINISTRATION AT DISTRICT LEVEL

NAME OF DISTRICT

Counter Signature

(Name, Designation and Stamp)
DISTRICT COLLECTORE DEPUTY COMMISSIONER)
(ov his authorized representative*)
NAMEOFDISTRICT
(*Not below the rank of a Group – A Gazetted Officer)



Appendix-A

DIS	TRICT EDUCATION OFFICER SHALL PL	IT A TICK MARK	AGAINST THE
COL	LUMN UNDER WHICH THE SCHOOL IS F	FULFILLING THE I	LAND CRITERIA
Name and Address of the school:		Total Land area in lawful possession	
		of school:	
SN	LOCATION OF SCHOOL	LAND	Please Tick the
		REQUIREMEN	column in which the School is fulfilling
		T	requirement
1	Any Where in India	Minimum 6000	roquironioni
		Square Meters	
2	In Municipal limits of cities with a	Minimum 4000	
_	population exceeding 15 Lakhs.	Square Meters	
3	In hilly areas prescribed by the	Minimum 4000	
4	Planning Commission (NITI Aayog). In Municipal Limits of the State Capital	Square Meters Minimum 4000	
7	Cities.	Square Meters	
5	In the North Eastern States.	Minimum 4000	
		Square Meters	
6	In the state of Jammu and Kashmir	Minimum 4000	
7	In Municipal Limits of Chariahad	Square Meters Minimum 4000	
7	In Municipal Limits of Ghaziabad, NOIDA, Faridabad and Gurugram cities	Square Meters	
8	In the Municipal Limits of Panchkula	Minimum 4000	
	and Mohali/SAS Nagar	Square Meters	
9	In the Municipal Limits Class-X cities	Minimum 2000	
	(Ahmedabad, Bengaluru, Hyderabad, Pune).	Square Meters	
	Or on the Hill Stations.		
40	(For Secondary Level)		
10	In the Municipal Limits Class-X cities (Ahmedabad, Bengaluru, Hyderabad,	Minimum 3000 Square Meters	
	Pune).	oquare meters	
	Or on the Hill Stations.		
11	(For Senior Secondary Level) In the Municipal Limits of Chennai,	Minimum 1600	
•	Delhi, Kolkata and Mumbai	Square Meters	
	Or the state of Arunachal Pradesh.		
	Or the state of Sikkim Or the Islands.		
	(For Secondary Level)		
12	In the Municipal Limits of Chennai,	Minimum 2400	
	Delhi, Kolkata and Mumbai Or the state of Arunachal Pradesh.	Square Meters	
	Or the state of Sikkim		
	Or the Islands.		
	(For Senior Secondary Level)		

Signature

(Name and Stamp of Issuing DEO)
DISTRICT EDUCATION OFFICER/NAME OF DISTRICT

(Signature of Principal)

PRINCIPAL ATMIYA OPEEN SCHOOL ZADES

(Signature of D.E.O.)

District Education Officer Bharuch.